

About Us:

We YK Laboratories manufacturing of certified organic inputs especially Botanical Virucide, Fungicide water base and Botanical Insecticide & Sucking pest oil base, with the aid of Medicinal plants and related alkaloids which controls and suppress the multiplication of Bacterial and Fungal growth.

We have developed the capability to match international quality standards stringent user requirements through continuous Field trials on my YK Farm Land which we cultivate organically all vegetables and flowers and cereals, horticulture crops, located in Hyderabad, INDIA. It improves the product quality and batch to batch consistency and reproducibility according to the climatic conditions.





FOST - ROOTEX®

Fost Rootex is the combination of Organic Silica Organic Carbon and Humic Acid.

FOST Rootex Benefits:-

- ✓ Act as a Soil Spreader and penetrate the irrigated water towards root zone.
- ✓ Fost Rootex increase the water infiltration and water-holding capacity of the soil.
- ✓ Fost Rootex greatly increase the plant root growth and metabolism,
- ✓ Fost Rootex enhance seed germination, and help plants deal with environmental stresses.
- ✓ Fost Rootex uptakes the water, nutrients & minerals in large Quantity.
- ✓ Reduced effect of drought Stress and salt Stress.
- ✓ Fost Rootex Helps to maintain a more uniform soil temperature
- ✓ Fost Rootex controls Biotic and A biotic stress.
- ✓ Hold the moisture in Longer Period in very hot condition.
- ✓ Improves the Photosynthesis.
- ✓ Continue the Greenery in longer period



Highly Recommend "Drip Irrigation" Foliar Spray 5 ml per Ltr of water. Drip Irrigation 2 Ltr Per Acer





Recommended Crops:-

- Highly Recommending Green House Application every day ...
- Vegetables:-Tomato, Chillis ,Capsicum , Water Melons and Mask Melons Guards Ridge, Bitter Fruit Plants:- Banana, Papaya, Mango, Lichi, Guava, Lemon, Orange, Grapes.
- CROPS :-Paddy, Jute, Wheat, Barley, Mustard, Ground nut, Sunflower, Soybean, Cotton.
- Flowers:-Rose, Cut Flowers, Chrysanthemum, Mari gold etc...

Packing:-

500ml, 1Ltr, 5ltr, 20Ltr. (other bulk packaging is available on demand).

Ingredients:-

- Organic Matter & Carbons 45%
- Natural Minerals 20%
- Natural Vitamins 15%
- Crude Proteins 10%
- Soil Ph Balancer 5%
- Moisture 5%





Flower Booster...

Immuno is new formulated Organic Based flower stimulator, it enriches the Vegetative growth till flowering stage.

Mode Of Action:- IMMUNO will encourage vigor in the plant growth cycle as it consists nutritional deporting minerals and enzymes. It contains elements called natural plant hormones. i.e. Auxins, Cytokinins, Gibberellins and Betaines, required in minor proportions but they do contribute to the overall plant health. The natural plant auxins are a major hormonal component that regulates the speed at which the plant develops. Auxins, have a tendency to increase the growth and flower buds to unfold at the right time.

Product Usage benefit to customer :-

- Improves the Aging process in plants also known as the senescence
- Boost up the Immune system.
- Better flower enhancer & Flower Stimulator.
- Controls Flower Drops
- Stimulates the Flower organisms and ensure healthy fruit set.
- Improves the Fruit setting and healthy shining.
- 3 Improves the Disease resistance
- No Chemicals either solvent or Stabilizer .Toxic free No burning issue on Plants.
- Organic Product Certified IFOAM/BIOCERT & Telangana State Organic Certification Authority.





Foliar Application & Drip Irrigation.
Foliar Application - 5 MI per Itr of water
Drip Irrigation - 2 Ltr per Acer.

Recommended Crops:-

Vegetables:-Tomato, Chillis, Capsicum, Water Melons and Mask Melons Guards Ridge, Bitter.

Fruit Plants: -Banana , Papaya ,Mango, Guava, Lemon, Orange, Grapes Etc...

Flowers:-Rose, Cut Flowers, Chrysanthemum, Mari gold etc...

Packing:-500MI,1Ltr,5Ltr,20Ltr.

Ingredients:-

Natural Enzymes for Flowers & Internodes - 55% Vitamins & Minerals - 25% Alginic & Antioxidants - 15% Moisture - 5%

Packing: - 500MI,1Ltr,5Ltr,20Ltr.





EnViro is the Phloem Friendly Botanical Virucide, Very Effectively Controls Following Viral Diseases

Papaya – "Ring Spot Virus", Mirch (Chilly)-Leaf Curl Virus & "Gemini Virus", Tomato- "Spotted Wilt Virus "Mosaic Virus etc... Melons- "Squash Mosaic Virus" Etc...

Present Concept, uprooting and destroying the virus affected plants is totally over ruled by ENVIRO + IMMUNO Regular sprays on infected plants helps in taking 30-50% marketable crops from infected plants. Only Herbal Based Anti virus in the world can be used to preventive and curative action,

EnViro Mode Of Action:-

EnViro enters the plant through the stomata opening and translocate into the plant system through the vascular bundles. EnViro enters the effected plant cell encapsulates the viron particles.

It reduces the separation of viron particles in protein and Nuclei particles.

In healthy plants EnViro forms protective layer under the cuticle and the damaged tissues stopping the entry virus in the plant cell system.

Application Method

Curative Sprays immediately 2 Sprays every 7 days after that every 10 days till harvesting.

Dosage: - 5MI/Ltr of water.

Application Method:-Foliar Spray.

Recommended Crops

Papaya – "Ring Spot Virus", Tomato – "Tomato Spotted Wilt Virus" Chillys-Gemini Virus & Leaf Curl Virus, Water Melons & Mask Melons-Squash Mosaic Virus.

Brinjal-Mosaic Virus, Tobacco, Beans, Cucumbers, Okra -Mosaic Virus, and Black gram Mosaic Virus and all other vegetable, fruits, flowers, spices, plantation (Tea, Coffee) crops can be effectively controlled by ENVIRO.

Packing: 500ml, 1Ltr(other bulk packaging is available on demand).

Ingredients: Acorus calamus, Eclipta Alba.

Datura metal, Holy basil, Boer Diffuse.



Plus

Cyto plus is the very Rare combination of Organic Sucking Pest, Combination of Fish oil & Etc... Cyto plus is 100% Effectively Controls of Sucking pest especially....followed

- ✓ Bacterial Blight
- √ Powdery Mildew
- ✓ Leaf Minor
- ✓ White Fly
- ✓ Chilli Gall Midge

After spray in 2-3 Hrs, you will find that 30% of insect are dead or struggling for life and other 70% are alive but stopped their eating. and after 48 Hrs you will find that 90-100% are dead.

CYTO Plus has following mode of action:-

- ✓ Insects does not have nose for breathing, they do breathing through their skin, so when their skin comes in contact with Cyto plus solution, Cyto plus dissolved their liquid of their skin holes, So their holes get swelling and they can not breath, they die by suffocation in 3Hrs.
- ✓ Other Can not eat due to repellent smell of Cyto plus, due to its test their ability to identify food get destroyed and they stop eating, also they can not identify female so stop reproduction. This happen due to very spicy smelling and air floating molecules of Cyto plus.
- ✓ As Cyto plus act dissolve body fluid of insect in first mode of action, on the same way, Cyto plus dissolve insect egg covers, so when Cyto plus spray comes in contact with eggs, these eggs get dissolved and get dead.
- ✓ After Spray 2-3 Hrs, you will find that 30% of insect are dead or struggling for life and other 70% are alive but stopped their eating. and after 48 Hrs you will find that 90-100% are dead.
- ✓ Organic Product Certified by IFOAM/Biocert & Telangana State Organic Certification authority.
- ✓ No Chemical either in stabilizer or preservative is used.
- ✓ Ideal for IPM Strategies can be used till the last day of Harvesting.



Recommended Crops:-

Suitable for all crops like Paddy, Cotton, Chilly, Groundnut, Potato, Cumin, Fennel, all vegetables, flowers, Cereal, pulses, oilseeds and all other horticulture crops. It is good product for lawns, indoor plants, golf turf etc.

Method of Application

Foliar Spray - 2.5 ml to 3 ml per liter of water. Packing 300ml, 550ml,

Ingredients:-

Allium Sativum - 15%, Acacia Concinna - 20%, Zingiber Officinalis - 15%, Fish Oil - 45%, Citronella - 0.5%, Spearmint - 0.5%, Other Ingredients - 4%

WILT SPECIAL

PLANT DEFENDER

"Broad Spectrum Nematicide" Vascular Bundle, known as Xylem & Phloem Tissues get chocked due to Fungus, Bacteria and Nematicide causes death of the plant

Stop Wilt Mode Of Action:-

- ✓ Any fungicide, bactericide & nematicide works through the phloem vessels which translocate from the leaf to the place of infection can only controlled Wilt, because the xylem pipe are absolutely rotten or chocked.
- ✓ The Medicine enters the plant through the stomata opening and the Trans located into the plant system through the vascular bundles, it enters effected plant cells and controls the pathogen multiplication and clears the vascular bundle especially in root zone etc..
- ✓ Reduces the multiplication of the pathogen particles through various phases.
- ✓ Organic Product Certified by IFOAM/Biocert & Telangana state Organic Certification Authority.
- √ No Chemical either in stabilizer or preservative is used,
- ✓ Ideal for IPM Strategies can be used till the last day of Harvesting.

Method Of Application.

Curative:-

2 Sprays at 4 days intervals & then repeat the spray for every 10 days...

Preventive:

Spray at every 10-15 Days.

Dosage - Stop Wilt 5 ML + Fost Rootex 5 ml / Ltr of water.



Recommended Crops:-

Vegetables:-Tomato, Chillis ,Capsicum , Water Melons and Mask Melons Guards Ridge, Bitter .

Fruit Plants: -Banana ,Papaya ,Mango, Lichi, Guava, Lemon, Orange, Grapes .CROPS:-Paddy, Jute, Wheat, Barley, Mustard, Ground nut, Sunflower, Soybean, Cotton.

Flowers:-Rose, Cut Flowers, Chrysanthemum, Mari gold etc...

Packing: 1Ltr

Ingredients:-

- Astragalus,
- ❖ Shilajit,
- Lantana Camera,
- Boehara diffuse &
- . Cow Manure.
- Organic Silica. Etc..



Organic Nutrition Fertilizer

Max-crop is a unique formula produced by mixing Natural mineral, animal and vegetable products in scientifically controlled conditions to give the optimum output by Biotech Research.

Composition:

Nitrogen - 10%
Phosphorous - 5%
Potassium - 30%
Chelated Nutrient - 30%
Q.S. - 25%

Total - 100% w/w

Dosage:

Foliar: 3 ml per litre of water

Drenching: 5 ml per litre of water

Drip: 1.5 to 2.5 Ltr per Acer

Packing: 1Ltr, 2.5 Ltr, 20 Ltr

Direction for use: Shake the bottle well before opening. Mix desired quantity of Max-crop in a small quantity of water and stir well. Add this solution to sufficient quantity of water to achieve required coverage. It can be mixed with most of the pesticides after diluting with water separately.



Max-Size

"Size Booster"

Max Size is a Certified Organic Fertilizer for Fruit & Vegetable Growth size.

Max-SIZE rich in Organic Potassium (k), Organic Nitrogen (N), and various Plant and Animal Extracts and Auxins.

Max-SIZE delivers following advantages in plant.

- ✓ Increase in Size of Fruit and Vegetable
- ✓ Increase in Length of Vegetable.
- ✓ Increase Weight of Harvest.
- ✓ Better Shelf Life of Harvest.
- ✓ Increase Water and Sugar holding of fruits.
- ✓ Gives even sizes of fruits.
- ✓ No Chemical either in stabilizer or preservative is used,
- ✓ Ideal for IPM Strategies can be used till the last day of harvesting.
- ✓ Applicable to all Vegetables and Fruits.

Method Of Application:-

Foliar Spray.

Dosage - 1.5Ml to 2ml per Ltr of water for foliar application after flower to fruit setting.



Recommended Crops:-

 $\label{thm:condition} \mbox{Vegetables:-Tomato, Chillis} \ , \mbox{Capsicum} \ , \mbox{Water Melons and} \\ \mbox{Mask Melons Guards Ridge, Bitter} \ .$

Fruit Plants: -Banana , Papaya ,Mango, Guava, Lemon, Orange, Grapes Etc.. .Flowers:-Rose, Cut Flowers, Chrysanthemum, Mari gold etc...

Packing:-250MI,500MI

Ingredients:-

- Organic Carbon
- Organic NPK- 10-0-40
- Plant Extract Auxins
- Organic Silica
- Organic Matter



CUREAL-Broad Spectrum Anti Bacterial, Zinc Based Herbal Extraction.

Cureal is a Very rare combination formulated with Zinc and Herbal Extraction.

Mode Of Action:-

A special defensive mechanism improves the Immune system of the plant and some of antimicrobial properties suppress and inhibit the pathogen population and multiplication.

Cureal Stops the Spreading from infected plant to Healthy plants.

A High antioxidant power and enhances natural protection against pathogens, with the help of Specially made Alkaloids which we derive from Essential oils.

Benefits and Advantages:-

- Eco friendly Zinc Based.
- 100% Herbal Extract No Synthetic chemical &pesticide.
- Compatible with all Chemical & Pesticide.
- Nontoxic and Environmental friendly.
- No residuals. Best IPM Practices
- Very Economical price and multi functional
- Low Working Dose 4-5ml per Ltr of water
- No chemical Toxicity and no side effects no Leaf burningetc...

CUREAL is Highly Effective and Controls the Following Diseases:-

Alternaria Leaf Spot, Septoria Leaf Spot. Cercospora Leaf Spot.

Stemphylium Leaf Spot. Anthracnose and ripe Fruit Rot. Stemphylium Blight.

Bacterial Blight, Phytophthora, Coriander Stem Gall, Carrot cavity spot Damping off.

Dosage:-

Foliar Spray: - 4-5ml per Ltr of water every 7 days 3 sprays.

Recommendation:-

Suitable for all Vegetable crops like Tomato, Chilli, Potato, Cabbage, Carrot Leafy Vegetables and Leafy Cucurbit family Ridge gourds, Bitter gourd, Bottle gourd, Sponge and Melons etc.. Horticulture crops Mango, Papaya Citrus, Banana, Dragon Fruits erc..

Commercial Crops:-Paddy,Pulses Maize,Turmeric,etc...

Flower Crops: - Rose, chrysanthemum, Marigold, Jasmine, Lilli etc...



DEVELOPER

Zinc Oxide Suspension Concentrate (Zn 39.5%)

Application Rates and Timings (Foliar Application)

Tippinoution reason and rimings (roman rippinoution)		
Crop	Application Stage	Dosage (MI/liter Water)
Citrus	After Bahar Treatment at Flowering Stage	1 to 1.5 ml
Pomogranate	30-35 days after pruning 45-50 days after pruning	1 to 1.5 ml
Grapes	20-25 days after pruning 35-40 days after pruning	0.5 ml
Banana	45-50 days after transplant 90-95 days after transplant	1 to 1.5 ml
Tomato / Chilli	30-35 days after transplant 55-60 days after transplant	0.5 to 0.75ml
Onion / Garlic	30-40 days after transplant	0.5 to 0.75ml
Potato	30-35 days after Sowing	1 to 1.5ml
Rice / Wheat	30-35 days after transplant 45-50 days after transplant	1 to 1.5ml
Sugarcane	40 days after Sowing 90 days after Sowing	1 to 1.5ml
Cotton	30-35 days after Sowing 45-50 days after Sowing	0.5 to 0.75ml
Soyabean/Maize	30-35 days after Sowing	1 to 1.5ml
Coffee	At pre-flowering Stage at berry formation Stage	1 to 1.5ml
Apple	Petal fall Stage Post-harvest Stage	1 ml



NEEM OIL

A NATURAL PRODUCT...

Neem Oil ECO-Friendly, herbal Water Extract has no Chemical as a solvent or preservative. No Harmful to the environment.

BENEFITS:

Neem Oil is a mulitipurpose pest controller.

Neem Oil can replace chemical treatments and is beneficial to both organic as well as conventional agriculture.

Enhances the plant's Internal defense mechanism

Neem Oil is free from toxic and solvent residue.

RECOMMENDATION:

Suitable for all Crops like Paddy, Cotton, Chilly, Groundnut, Potato, Cumin, Fennel, All Vegetables, Flowers, cereal, pulses, oil seeds and all other articuluture crops. It is good Product for lawns, Indoor Plants, Golf turf etc.,

INGREDIENTS: Traditionally Extracted from Neem Leaves & Neem Kernels "Cold Pressed Neem Oil".

DOSAGE: 5 ml Per Ltr of Water











Vaayuu

Natural Bugs Repellent



A Potential
Herbal based
Anti feedant
Repellent Character
to Dryout the
Sucking Pest

Fumigant Action Eco - Friendly Vruksha Ayurveda Organic Product



VAAYUU: THE ANTI FEEDANT & REPELLENT.

A potential Larvicide and Anti Feedant against chewing caterpillars and borers prepared under the Ancient Ayurvedha system.

VAAYUU is an Eco friendly, Economical, Effective herbal formulation.

VAAYUU has Anti-Feedant, Contact action and Fumigant action also Repellent.

Highly recommended against the following pests

- Brinjal shoot & Fruit borer(Leucinodes orbonails)
- Plutella xylostella(diamond back moth)
- Heliothis armigers (gram pod borer)
- Spodoptera litturalis (Army worm)
- Hellulaundalis(cauliflower borer)
- Achaea janata (semi looper)
- Leaf Minor (Tuta absoluta)
- Gall Midge fly
- Red Mites
- Fruit Fly(control up to 5days)
- Mosquitoes(Black)

Mode of Action:-

- 1. Vaayuu kills the insect larvae by fumigant action, the body of larvae is burnt and at once exposed to environment deterioration gives black colouration.
- 2. Vaayuu binds the physiological receptors thereby causing hypertension which results in immobilization of parts.
- 3. Stomach action of toxic Herbal Alkaloids Viz.,, Cinnamic, Zingiber, Eugenol Causes poisoning results in death. Anti-Feedant and repellent.
- 5. Long association of oil with plant parts gives extended control

Compatibility:-

Normally Solo spray is better, especially if connected with organic farming. However Vaayuu formulations are compatible because of lecithin binders

ADVANTAGES:-

- Ensures Safe & Healthy word for Future generation.
- Safe to the Beneficial Insects and Aqua etc...
- Safe to the humans and Environment.
- Safely Use it in Indoor plants.
- Insects don't become Resistant to VAAYUU.
- Best to apply at all stages of plant from Nursery to Harvesting.
- Certified by NPOP.
- Ideal for IPM Strategies can be used till the last day of harvesting.

Dosage: - 5ml per litre of water in high volume Spray.

In a low population scenario 4ml per litre of water as,an early spray after seeing the egg stage.

Recommended Crops:-

Vegetables: Tomato, Chillis ,Capsicum , Water Melons and Mask Melons, Ridge, Bitter Leafy vegetables.

Fruit Plants: Banana, Papaya, Mango, Lichi, Guava, Lemon, Orange, Grapes.

CROPS: Pulses, Paddy, Jute, Wheat, Barley, Mustard, Ground nut, Sunflower, Soybean, Cotton.

Flowers: Rose, Cut Flowers, Chrysanthemum, Mari gold etc...

Packing: 500MI,1Ltr,2.5Ltr also Bulk

Ingredients:-

Acacia Concinna-18%, Citronella-0.5%, Clove Bud oil -45% Zingiber Officinalis-15%, SpearMint-0.5%, Lemon Gross-15% Soya Lecethin-2%, Other ingredients -4%









"A Powerful Botanical Insecticide"

Beauty of this product is, It Generates the near by internodes and healthy flowers and fruit settings, along with the 100% Pest control.

Tested by National Horticultural Research & Development Foundation, Nashik



Dosage: 5 ml + 5 ml per Liter of Water



Verticillium lecanii Beauveria bassiana Metarhizium anisopliae

Oxyveg is mixture of beneficial micro organisms which is useful in organic farming. The proliferates throughout the insect's body and draining of Beneficial microbes helps to disturb insect like mealybug and other sucking pest. It grows over body of insect in favorable climatic conditions. It germinate and grow directly through cuticle to inner body of their host.

Effective in: Thrips, Mealy bug, Whitefly, Aphids, Jassids, Root Weevils, Plant hoppers, White Grubs, Larvae and other sucking pest.

Benefits:

- 1. Oxyveg effectively grows on most of the economically important pests such as Borers, Cutworms, Root Grubs, Mealybugs etc.,
- 2. Oxyveg is eco friendly and helps to maintain the ecological balance.
- 3. Oxyveg produces toxin like bassionalide and dipicolinic Acid, helps to increase productivity by improving the crop health through controlling the pests.
- 4. Oxyveg is effectively controls most of the soft bodies sucking insects like mealybugs.

Composition:

Mixture of beneficial

micro organisms : 2.00%

CFU Count : 2x10⁸ per ml in

Carrier (Sterlie Water) : O.S Total: : 100%

Dosage: 2.5 ml per liter of water

Recommended Crops:

All Vegetables, Crops, Flower & Horticulture Crops

Packing: 250 ml, 500 ml, 1 Ltr



FUNGAL & BACTERIAL SPECIAL

Special for Xanthomonas, Bacterial Blight, Powdery Mildew, Downy & Anti Fungal & Disinfectant





Broad spectrum Anti Bacterial very effective against Powdery Mildew Downey Mildew and Bacterial Blight Stops the spreading and new growth will be very healthy.

Recommended Crops:-

All Vegetables and Horticultural crops also Pulses and Commercial crops, Flowers Crops, Cotton, Paddy, sugar cane etc...

Dosage: 5 ml + 5 ml per Liter of water





ఆర్గానిక్ మాన్యూర్





NPOP/IM/2719814

HI-RICH

ORGANIC MANURE

- Best Supplements and Alternative for N-P-K chemical Fertilizers.
- Enriching Soil Health, and Soil porosity
- Uptaking the Macro and Micronutrients
- 100% compatible, can be Mixed with other Fertilizers too.
- Hi Rich organic manure is soluble in the water.
- Hi Rich Organic manure can be applied through drip and Soil application
- Balances the Soil pH

Composition:

- Organic NPK Nutrients 70%
- **Specially Added**
- **Fish Based Amino Acids**
- **Polymeric Acid Substance (PAS)**
- **Molasses Fermentation Solutions (CMS)**
- Chelated Ca, Chelated Fe
- Chelated Mg, Chelated Zn

Dosage: 20 kg per Acre Soil Application Drip: 5 to 10 kg per Acre Soak before 2 Hrs. Foliar Spray: 5 - 10 gms per Ltr of water

Suggestible Crops:

All Vegetable Crops, Flower & Horticulture Crops





What is SOILOX?

SOILOX is an organic soil adjuvant that is nutrition-free and mineral element-free and addresses the issue of soil compaction by mirroring the effect of the physical, chemical and biological weathering of minerals to improve crop growth.

How does SOILOX work?

SOILOX achieves its mode of action (MoA) by sustaining free calcium while simultaneously releasing more locked calcium from its inertia form. This also causes the release of locked phosphate into its free form into the soil solution.

With the increase in the available calcium and phosphate, the former aids in the reduction of salinity while the presence of both free ions direct help in the ease of soil compaction and the increase in porosity. Improvement in porosity translates to reduction in nitrogen loss, increase in water infiltration and reduction in water loss.









FLOWER & FRUIT SETTING

Arogya has a significant role in activation of plant immune system under Biotic and Abiotic stress.

Arogya may act as a mobile signaling molecule under stress conditions.

Arogya is a Natural product derived from plants origin and Natural Mines. Highly Resistance especially in environmental Heat stress and Cold stress.

ADVANTAGES:-

- Plant growth will not hampered even in condition of irregular water management.
- Arogya develops the number of Internodes and number of branches followed by flower and fruit setting.
- Arogya enables the Plants will keep always very Greenish and fresh condition.

INGREDIENTS:

Natural Enzymes - 28%
Soya based Amino Acids - 28%
Natural Minerals - 18%
Natural Vitamins - 8 %
Ultra pure Water -18%

Dosage: 2.5 ml to 3 ml per Litre of water.

Suggestible Crops:

All Vegetables, Crops, Flower & Horticulture Crops

Packing: 250 ml, 500 ml, 1 Ltr







Nano Silver ions bind to the molecular component of the microbial cell further deactivate the metabolic system and inhibit further reproduction of the microbes eventually killing it.

APPLICATION:

PLANT PROTECTION:

Apply 2ml to 2.5ml per Ltr of water as a foliar spray targeted crops Pomegranate and all major horticulture crops.

PRUNING:

Take 10 ml in 1 Ltr of water and sub merge all Scissors and gloves 20-30 minutes for Disinfection of Bacterial and virus before pruning.

SOIL FUMIGATION:

Apply 2 ml per Ltr of water after bed preparation Highly Recommended Green House and poly house.

WATER TREATMENT:

Silver nano particles as a Biocide for water treatment

Composition:

Nano silver ions > 2000ppm

Food Grade Stabilisers >1%

Ultra pure water < 99%

Recommend Crops:

Vegetables: Tomato, Chillis, Capsicum, Water Melons and Mask Melons Guards Ridge, Bitter.

Fruit Plants: Banana , Papaya , Mango, Guava, Lemon,

Orange, Grapes Etc...

Flowers: Rose, Cut Flowers, Chrysanthemum, Mari gold etc...

DOSAGE: 2 ml to 2.5 ml Per Liter of Water

Packing: 250 ml, 500 ml, 1 Ltr





VAAYUU YANTRA Granules

- 1. Apply in paddy stem borer and leaf roller
- 2. Vaayuu Yantra Granuels can be treated in Maize crop to treat Army worm(Cut worm)
- 3. vaayuu yantra Granules can be treat in soil to control white gurb Vaayuu Yantra Granuels can be apply each plant 5 mg-10 mg per plant as a advanced soil application to control different soil pest.













මතුණිංව කාපරණ් කාවාතු!!

మిరప పంటలలో

'ఒక చక్తివేంతమ్దెన కేటకనానిని'

ಎಾಯು + ಯಂ[ള്

ජෲపు ජణ<mark>ාపుకు దూరం తగ్గి అభిక కొమ్మలు,</mark> అభిక పూత, పిందే, మొక్క క్వాలిటీ దీని ప్రత్యేకత...!!



පතුබම් Product Certification No. NPOP/IM/2719814



Aphids



Armyworms



Asparagus Beetle



Cabbage Looper



TESTED BY

& Development Foundation,

Cabbage Worms



Corn Earworm



Cucumber Beetle





Cutworms



Earwing



European Corn Borer



Flea Beetle



Grasshopper



Leafhopper



Leafminer



Mexican Bean Beetle



Potato Beetle



Psyllid



Root Maggots



Slug & Snail



Sowbug & Pillbug



Spider Mites



Squash Bugs





Tomato Hornworm



పై ముడుత, క్రింబి ముడుత మలియు లద్దెపురుగు, కాయతొలుచు పురుగు, మిడ్జిదోమ, ఎర్రనల్లి, కాయ సైజు, క్యాలిటీ, కాయ పొడవు, క్రాప్ సెట్టింగ్నవారణ.

5 ml + 5 ml + 2.5 mlప్రతి 5, 6 రోజులకు ఒక స్పై

ಆಂಕಿಲ್ ಕ್ರೌಡಿ ತೆರಿ





IMPEL - PADDY CARE

- Impel is a Organic product it controls Multiple pest and Zinc deficiency.
- Highly effective on paddy Leaf Roller, Stem borer
- Highly effective against all kind of Moth's.
- Increases the Crop quality and Seed quality followed by Yield.
- 100% Organic #Pest can't Get Resistance.





☑ మినుము, కంది, శెనగ పంటలలో వచ్చు అన్ని రకాల పురుగుల మీద అత్యంత సమర్థవంతంగా పనిచేస్తు**ం**బి..!!

☑ ఆక్సీవెజ్ మొక్క వాతారణంలోని తేమను గ్రహించి, బెట్టకు రాకుండ 10-15 රී සං කරජා కాపాడుతుంది.


🗹 కనుఫ్స కనుఫ్స కు దూరం తగ్గి అభిక కొమ్మలు పూతలు మొక్క క్వాలిటీ దీని ప్రత్యేకత.

> Antifeedant ప్రభావం వలన ఆకుల మీద వాలిన, దాని రసం పీల్చదు. ఎటువంటి ముడుత మరియు ఆకు క్వాలిటీ తగ్గదు.

Dosage:

2.5 - 3 ml per Ltr of Water

Packing: 250 ml, 500 ml, 1 Ltr



YK LABORATORIES

Herbal House, Sy.No. 255, Plot No-3, Kuntloor (V), Hayath Nagar (M), R.R.(Dist), Hyderabad - 501505, India.

Phone: 9491418181, 9705129639 Email: info@yklaboratories.com www.yklaboratories.com



App QR Code



Watch farmers Successful Stories on **You Tube** / YK Laboratories

🟇 Pulses Special 🐝






Marketed & Manufactured By:

















Nano Silver + Oxyveg + Cureal







HIGHLY EFFECTIVE

- Chilli's Dieback Komma kulludu, Kaya kulludu.
- Colletotrichum Fruit Rot- kaaya machha.
- Powdery Mildew budida tegulu

Note:- Long Acting Anti Bacteria & Fungus near about 10-15 days.








FOST - ROOTEX A Organic product...

फास्ट - रुटेक्स

Fost-Rootex:- Grow your Vegetabel crops with out Fertilizers.

Combination of Organic Carbons + Humic & Fulvic & Potassium Humate..



- → Seed germination.
- ightharpoonup Root Developement ,
- → Improves the Benificiary Micro Organism
- → Improves the Lateral Root system& Root Hair.
- Uptaking the Waters , Minerals & Nutrients.
- Enhancing the Soil Fertility & Erosion.
- $ightharpoonup \mathsf{Balance}$ the Soil pH .
- Improves the Soil Organic Carbons.
- Improves the Soil porosity.
- Grow your vegetable crops with out Fertilizers.
- Controls the Root Rot Disease.
- Equal Mode of Action of Farmyard Manure.
- Very Economical and Organic.
- Certified Organic Input.

TOMATO SPECIAL



DOSAGE Immuno 5ml per Ltr water Enviro 5ml per Ltr water Cureal 500ml 2.5ml per Ltr of water 2-3 Sprays every 5 days















FOST-ROOTEX + DEVELOPER (ZINC 39.5%)



అభిక పిలకలు మలియు జంక్ లోపం నివారణ కొరకు

FIRST SPRAY: 10-12 DAYS

PERIOD AFTER REPLANTATION



DOSAGE:
Fost-Rootex
500 ml,
Developer
100ml per Acre

PAPAYA SPECIAL पपोता स्पेशल









DRIP: 2 to 3 Ltr **Per Acre**

F@ST-ROOTEX **ORGANIC FERTILIZER (2-0-3)**













DOSAGE: Enviro - 5 ml + Immuno - 5 ml + Cyto Plus - 3 ml Per 1 Ltr of Water





Marketed & Manufactured By:



— HERBAL HOUSE -

GSTN - 36AABFY8964G1ZN

Herbal House, Plot No. 3, East Part, Kuntloor (V), Abdullapurmet (M), R.R Dist. Hyderabad - 501505. Phone: 8008336307, 9705129639

Email: info@yklaboratories.com

Our Mobile App QR Code





